

- Web
- Images
- Video
- Local
- Shopping

Yahoo!

code block conversion unit which codes information bits which are inputted as a block of a two dimensional image made up from m x n pixels and arranging pixels which represent the information bits in code area (About this page) - 0.04 sec.

Search

1 - 10 of about 38 for code block conversion unit which codes information bits which are inputted as a block of a two dimensional image made up from m x n pixels and arranging pixels which represent the information bits in code area (About this page) - 0.04 sec.

1.

[Apparatus and method for processing data with an arithmetic unit ...](#)

... the **two dimensional image** being organized in a **two dimensional** grid pattern of cells, each cell containing an **M by N matrix of pixels**, and the words ...

[www.freepatentsonline.com/6217234.html](http://www.freepatentsonline.com/6217234.html) - 506k - [Cached](#)

2.

[\(WO/2003/021373\) VECTOR-MATRIX MULTIPLICATION](#)

... diagram of an **information** transmission and reception process, in ... is a schematic **block** diagram of a rake receiver, in accordance with an exemplary ...

[www.wipo.int/pctdb/en/wo.jsp?IA=IL2002000727&DISPLAY=DESC](http://www.wipo.int/pctdb/en/wo.jsp?IA=IL2002000727&DISPLAY=DESC) - 322k - [Cached](#)

3.

[Memory interface for reading/writing data from/to a memory - Patent 6799246](#)

... recording semihalf tone images and device for **conversion of image** dot tonal value ... a substantially constant amount of transform data per transmission **unit block** ...

[www.freepatentsonline.com/6799246.html](http://www.freepatentsonline.com/6799246.html) - 557k - [Cached](#)

4.

[Computer graphics processing, operator interface processing, and ...](#)

... **unit** that compares, when the touch-area detecting **unit** detects **two** touch ... In the designated region of interest, a **two-dimensional** projected **image** that ...

[freshpatents.com/Computer-graphics-processing-operator-interface-pr...](http://freshpatents.com/Computer-graphics-processing-operator-interface-pr...) - 273k - [Cached](#)

5.

Computer graphics processing, operator interface processing, and ...

... the plurality of **pixels**, and an **image** signal line drive **unit** including a film ... device includes

**M**×**N** numbers (**M**, and **N** are integers more than two) of **pixels**. ...

[freshpatents.com/Computer-graphics-processing-operator-interface-pr...](http://freshpatents.com/Computer-graphics-processing-operator-interface-pr...) - 252k - [Cached](#)

6.

Method and apparatus for compressing and storing data indicative of a ...

... amount of data **bits** which is substantially the same for each said **block unit**; and ... a coding step of quantizing, in **block** units, the **image** data orthogonally ...

[www.patentmonkey.com/PM/patentid/6198848.aspx](http://www.patentmonkey.com/PM/patentid/6198848.aspx) - 230k

7.

Image processing apparatus and method - Patent 6915014

... **code**, AC Huffman **code** and annexed **bits** of one **block** (8.times.8 input **pixels**) and ...

**information** inputted from the input terminal 100 is cut into, say, a **block** of ...

[www.patentmonkey.com/PM/patentid/6915014.aspx](http://www.patentmonkey.com/PM/patentid/6915014.aspx) - 195k

8.

U.S. Patent: 6198848 - Method and apparatus for compressing and storing ...

... for quantizing, in **block** units, the **image** data orthogonally transformed ... quantization **unit** 105 and outputs the result to a buffer 302. The Huffman **code** ...

[www.everypatent.com/comp/pat6198848.html](http://www.everypatent.com/comp/pat6198848.html) - 139k

9.

Parallel Huffman decoder

... of cells, each cell containing an **M** by **N** matrix of **pixels**, and the words ... matrix of **pixels**, and that is not aligned with the two dimensional grid pattern, ...

[patentopedia.us/inbred\\_maize\\_line\\_ph0hc/parallel\\_huffman\\_decoder.html](http://patentopedia.us/inbred_maize_line_ph0hc/parallel_huffman_decoder.html) - 525k

10.

Image processing apparatus, method and memory medium therefor - Patent ...

... two-dimensional bar **codes** and print such **codes** in a marginal area of ... in the unit of a **block** of **M**.times.**N** **pixels** formed by dividing the **image**, and the ...

[www.wikipatents.com/7058232.html](http://www.wikipatents.com/7058232.html) - 192k

1 2 Next >

YAHOO!

code block conversion unit which codes information bits whic Search

Yahoo! Toolbar is now powered with Search Assist. [Download it now.](#)

[%2008 yahoo! Privacy / Legal - Submit Your Site](#)

- Web
- Images
- Video
- Local
- Shopping

Yahoo!

code block conversion unit which codes information bits which are inputted as a block of about 98 for code block conversion unit which codes information bits which are inputted as a block of

code block conversion unit which codes information bits which are inputted as a block of

Search

11. 10 of about 98 for code block conversion unit which codes information bits which are inputted as a block of  
a two dimensional image made up from  $m \times n$  pixels and arranging pixels which represent the information bits  
in code area (About this page) - 0.01 sec.

11.

#### Token-based adaptive video processing arrangement

... of cells, each cell containing an **M by N matrix of pixels, and the words ... matrix of pixels, and**  
that is not aligned with **the two dimensional grid pattern, ...**

[devileye.net/catalog/instrument\\_with\\_independent\\_pliers/...](#) - 525k

12.

[www.patentlens.net/textserver/getfulltext.html?patent=US/4363036](#)

... consists of a window predictor **made up of N pixels, X.sub.0, X.sub.1, X.sub.2. ... the symbol;**  
**two bits (b.sub.10-b.sub.11) represent the source state of the ...**

[www.patentlens.net/textserver/getfulltext.html?patent=US/4363036](#) - 150k

13.

#### Video decompression

... of cells, each cell containing an **M by N matrix of pixels, and the words ... matrix of pixels, and**  
that is not aligned with **the two dimensional grid pattern, ...**

[patentopedia.us/molten\\_aluminum\\_filtration/video\\_decompression.html](#) - 527k

14.

#### Method and apparatus for compressing digital data using non-adaptive ...

... runs are represented by variable-length **codes**, such as a Huffman **code** set, and ... consists of a  
window predictor **made up of N pixels, X.sub.0, X.sub.1, X.sub.2. ...**

[www.patentgenius.com/patent/4363036.html](#) - 123k

15.

Method for addressing data having variable data width using a fixed ...

... of cells, each cell containing an **M** by **N** matrix of **pixels**, and the words ... matrix of **pixels**, and that is not aligned with **the two dimensional** grid pattern, ...

[www.patentgenius.com/patent/6119213.html](http://www.patentgenius.com/patent/6119213.html) - 486k

16.

[esp@cenet description view](#)

For this reason, if the ID **code**, the position and the direction (angle) are to ... **image** coordinates after **conversion** (i, j) is converted into a coordinates (x y) ...

[v3.espacenet.com/textdes?DB=EPODOC&IDX=EP1319430&QPN=EP1319430](http://v3.espacenet.com/textdes?DB=EPODOC&IDX=EP1319430&QPN=EP1319430) - 178k

In order to show you the most relevant results, we have omitted some entries very similar to the ones already displayed.

If you like, you can [repeat the search with the omitted results included](#).



YAHOO!

Yahoo! Toolbar is now powered with Search Assist. [Download it now](#).

© 2008 Yahoo! [Privacy](#) / [Legal](#) / [Submit Your Site](#)